



Four row Cylindrical Roller Bearing

Designation	Principal dimensions				Basic load ratings		Fatigue load limit
	d	D	B	C	dynamic	static	
	mm				C /kN	C0 /kN	Pu /kN
BC4-8054/HA4			559.5	486	10800	27000	2120
314190	160	230	130	130	842	1340	143
315189 A	160	230	168	168	1120	2200	240
315642/VJ202	165.1	225.45	168.3	168.3	1100	2240	240
313812	180	260	168	168	1380	2500	265
313893	200	280	200	200	1650	3350	345
313811	200	290	192	192	1680	3200	320
314385	200	280	170	170	1470	3000	305
314553	200	270	170	170	1250	2700	275
313839	220	310	192	192	1830	3650	360
313824	230	330	206	206	2010	4000	390
313823	260	370	220	220	2330	4650	465
313822	280	390	220	220	2420	5000	490
NNUD 6056 ECMAS/P53	280	420	250	250	3690	6550	640
314484 D	300	420	300	300	4020	8800	850
314274 B	320	480	350	350	5390	10800	1020
BC4B 316345 A	320	480	350	350	4570	11000	1020
313445 C	330	460	340	340	4460	10200	950
BC4B 322261/HB1	340	500	370	370	5230	11800	1080
BC4-8050	340	450	250	250	2550	6000	550
314485 C	340	480	350	350	4950	11000	1020
319040 A	340	480	370	350	4570	11000	1020
314563/VJ202	350	500	380	380	5280	11400	1040

BC4B 326909 A/HA3	350	520	300	300	4680	9000	800
BC4B 322777/HB1	350	500	410	410	5830	13700	1200
BC4B 326909/HA3	350	520	300	300	4680	9000	800
BC4-8022/HA1	355.6	482.6	269.87	269.87	2970	6400	585
BC4B 457939 VAA	356.67	550	400	400	5280	15000	1290
BC2B 320075/VJ202	360	500	250	250	3910	7350	670
BC2B 322217/VJ202	360	500	250	250	4400	8500	780
314486 A	370	520	380	380	5940	13200	1160
315606	380	540	400	380	5720	13700	1160
BC4B 326366/HB1	380	540	400	400	6160	15000	1290
BC4B 320989/HA3	380	540	400	380	6050	14000	1200
BC4B 322264/HB1	380	560	325	325	5230	10600	930
BC4B 313511 B	380	540	400	400	5720	13700	1180
319352	382.5	590	450	450	6930	16300	1430
BC4B 322498	390	540	320	320	5280	12200	1040
313038 A	399.93	590	440	440	8580	20400	1730
315802/VJ202	400	590	440	440	7920	16600	1400
BC4-8059	400	560	300	300	4680	10200	900
313015 DC	400	560	410	410	6270	15600	1400
316689	410	560	400	400	6440	16000	1430
313877 B	410	600	440	440	7650	17300	1530
BC4B 320612	410	560	420	400	5940	14600	1250
314964	412.335	650	488	488	8420	19000	1500
313555 C/VJ202	420	580	320	320	4680	10800	950
313513	420	600	440	440	7210	17600	1460
313555 B/VJ202	420	580	320	320	4680	10800	950
BC4-8037/HA1VA907	431.5	571.5	310	310	4460	10200	880
BC4B 326361 B/HA1	431.5	571.5	300	300	4460	10200	880
314554 B	440	620	450	450	7810	19600	1600
635043	440	660	340	340	7210	13700	1080
BC4B 320608	440	620	470	450	7210	17600	1460
314792 A	447.295	635.176	463.55	463.55	8970	20000	1630
315811 E	450	590	300	300	3910	12000	1020
312980 D	459.95	760	600	600	14000	30500	2320
313031 A	460	650	355	355	6710	14600	1160
315196 A	460	650	424	424	8250	18300	1530
314560	460	650	470	470	8800	22400	1900
BC4B 322374	460	680	400	400	8090	17300	1340
319155	460	650	470	470	8800	22400	1800
BC4B 322993 A/HA7	460	650	460	424	7810	18300	1530
BC4-8000/HA1	474.6	600	368	368	5500	14600	1270
BC4-8031/HA1VA907	474.6	600	377	377	5500	14600	1270
BC4B 326261/HA1	475	600	368	368	5500	14600	1270

BC4-8003/HA1VA907	475	600	392	392	5500	14600	1270
316690 B	480	650	450	450	7040	21200	1700
316624	480	680	500	500	9900	25000	1930
313516 D	480	680	500	500	10200	24000	1930
319320	480	680	420	420	9130	19300	1500
315523	485	740	540	540	11000	28500	2160
BC2B 326196/HA1VJ202	487.98	637	350	350	6440	15300	1220
BC4-8052/HA4	500	670	518.5	450	8250	22000	1800
314441 B	500	720	530	530	10800	28500	2120
316083 A	500	670	450	450	8250	22000	1800
BC4-8011/HA4	500	670	517	450	8250	22000	1800
319254/VJ202	500	650	260	260	4400	10200	850
BC4B 322039/HA1	500	670	480	450	8250	22000	1800
BC4-8010/HA4	500	670	479	450	8250	22000	1800
BC4B 316515	500	680	450	450	8250	22000	1800
BC4B 326853/HB1	500	738	500	500	10800	23200	1760
BC4-8051/HA4	500	670	480.5	450	8250	22000	1800
BC4B 322066	500	720	400	400	8580	17600	1320
316968 A	500	710	480	480	9520	21600	1630
BC4B 319411	510	680	500	500	9680	26000	2080
BC4-8009/HB1	510	730	520	520	10200	22000	1660
BC4-8007/HB1	510	760	550	550	12100	26500	2000
312844/VJ202	529.91	870	670	670	16800	33500	2450
314517 A	530	780	570	570	12800	32500	2400
315040/VJ202	530	780	500	500	9350	20400	1530
314886 A	530	760	520	520	11700	28500	2120
313535 D	536.176	762.03	558.8	558.8	11400	29000	2160
313535 B	536.176	762.03	558.8	558.8	12300	29000	2160
BC4B 322142/HB1	536.176	762.03	558.8	558.8	11200	30000	2200
BC4B 322719/HB1	550	800	560	560	12100	28000	2040
316691	550	740	510	510	11000	27000	2160
BC4-8046/HB1	556	800	580	580	10500	25500	1860
313189 A	559.84	920	710	710	20100	45500	3250
BC4B 322930/HA4	560	820	600	600	14200	34000	2450
313499 DA	571.1	812.97	594	594	13400	33500	2550
313499 B	571.1	812.97	594	594	13400	33500	2550
BC4B 319446	571.627	870	640	640	13400	40500	2900
BC4-8053/HA4	580	780	521.5	486	9900	27500	2120
BC4B 322497/HA4	600	870	578	540	13200	31500	2240
315175 C	600	820	575	575	14000	36000	2550
315175 A	600	820	575	575	14000	36000	2550
315513	600	870	640	640	16800	40000	2850
315526	606.667	920	640	640	16500	45000	3100

315257 A	610	820	430	430	9350	23600	1700
BC4-8041/HA4	620	820	475	475	10100	26500	1900
315071 A	628	922	600	600	16500	39000	2700
BC4B 457969	633.334	960	680	680	16800	45000	3150
313705 B	634.5	901.87	674	674	17900	45000	3150
BC4-8002/HA6	650	900	650	650	18300	41500	2900
313007 C	650	920	670	670	18300	46500	3200
239509 FA	660	820	440	440	8090	22800	1760
313008 A	690	980	715	715	21200	54000	3650
316967	700	930	620	620	16500	43000	3000
313403 C	710	1000	715	715	21600	56000	3750
315982	730	960	620	620	15400	45000	3000
314518 B	730	1030	750	750	22900	58500	3900
315973	750	1000	670	670	19000	50000	3350
BC4-8066/HA3	750	1090	750	750	21600	51000	3400
313685 B	759	1210	740	740	25500	85000	3800
312979 D	760	1080	790	790	23800	65500	4400
BC4B 322143/HB3	761.425	1079.602	787.4	787.4	23300	65500	4300
312967 E	761.425	1079.602	787.4	787.4	23800	65500	4400
BC4-8015/HB1	780	1070	780	780	24200	61000	4050
315599 A	800	1080	700	700	19800	58500	3800
BC4B 316341/HA4	820	1100	745	720	21200	57000	3750
319313	820	1130	825	800	24200	68000	4400
BC4B 320455	820	1130	800	800	24200	68000	4400
BC4-8021/HB1	850	1180	850	850	28100	73500	4650
315826 A	850	1150	840	840	25500	75000	4800
315826 B	850	1150	840	840	27500	75000	4800
312966 D	862.98	1219.302	876.3	889	30300	86500	5500
312966 E	862.98	1219.302	876.3	889	30300	86500	5500
BC4B 319668	865	1180	750	750	23300	67000	4300
BC4-8067/HA3	900	1280	780	780	28600	64000	4050
316043	900	1220	840	840	28600	80000	5000
313528 C	900	1280	930	930	33000	93000	6000
315265	937.5	1270.25	825.5	825.5	28100	83000	5300
314520 C	950	1360	1000	1000	38000	110000	6800
BC4B 319862	950	1360	975	975	34100	100000	6200
319303	980	1310	880	880	28600	86500	5400
316234 A	1000	1360	800	800	29700	83000	5100
BC4-8062/HA1	1040	1440	1000	1000	38000	93000	5700
BC4-8016/HA4	1300	1655	890	880	40200	122000	7100
BC4-8029/HA4	1350	1765	1360	1360	40200	122000	6950
BC4-8042/HA4	1400	1780	1200	1200	52300	163000	9300
BC4-8005/HA4	1400	1900	1360	1360	61600	183000	10400