



YAR

YSA

YAT

YET

YSA

YEL

Designations	Principal dimensions					Basic load ratings		Fatigue load limit	Limiting speed <sup>1)</sup>	Adapter sleeve
	d	D	B1	B	C	dynamic	static			
Bearing						C	C0	Pu		
	mm					kN		kN	r/min	
YAR 203/12-2F	12	40		27.4	12	9.56	4.75	0.2	9500	
YAT 203-008	12.7	40		22.1	12	9.56	4.75	0.2	9500	
YET 203-008	12.7	40	28.6	19.1	12	9.56	4.75	0.2	9500	
YAR 203-008-2F	12.7	40		27.4	12	9.56	4.75	0.2	9500	
YET 203/15	15	40	28.6	19.1	12	9.56	4.75	0.2	9500	
YAR 203/15-2F	15	40		27.4	12	9.56	4.75	0.2	9500	
YAR 203-010-2F	15.875	40		27.4	12	9.56	4.75	0.2	9500	
YAT 203-010	15.875	40		22.1	12	9.56	4.75	0.2	9500	
YET 203-010	15.875	40	28.6	19.1	12	9.56	4.75	0.2	9500	
YET 203	17	40	28.6	19.1	12	9.56	4.75	0.2	9500	

YAT 203	17	40		22.1	12	9.56	4.75	0.2	9500	
1726203-2RS1W	17	40		12		9.56	4.75	0.2	12000	
YAR 203-2F	17	40		27.4	12	9.56	4.75	0.2	9500	
YAR 204-012-2F	19.05	47		31	14	12.7	6.55	0.28	8500	
YSA 205-2FK	19.05	52	35	24	15	14	7.8	0.335	7000	HE 2305
YEL 204-012-2F	19.05	47	43.7	34.2	14	12.7	6.55	0.28	8500	
YAR 204-012-2LPW/ZM	19.05	47		31	14	12.7	6.55	0.28	5000	
YAR 204-012-2RF/HV	19.05	47		31	14	10.8	6.55	0.28	5000	
YAR 204-012-2LPW/SS	19.05	47		31	14	10.8	6.55	0.28	5000	
YAR 204-012-2RF	19.05	47		31	14	12.7	6.55	0.28	5000	
YAT 204-012	19.05	47		25.5	14	12.7	6.55	0.28	8500	
YAR 204-012-2RFGR/HV	19.05	47		31	14	10.8	6.55	0.28	5000	
YET 204-012	19.05	47	30.5	21	14	12.7	6.55	0.28	8500	
YET 204	20	47	30.5	21	14	12.7	6.55	0.28	8500	
YAT 204	20	47		25.5	14	12.7	6.55	0.28	8500	
YEL 204-2RF/VL065	20	47	43.7	34.2	14	12.7	6.55	0.28	5000	
1726204-2RS1	20	47		14		12.7	6.55	0.28	10000	
YEL 204-2F	20	47	43.7	34.2	14	12.7	6.55	0.28	8500	
YSA 205-2FK	20	52	35	24	15	14	7.8	0.335	7000	H 2305
YAR 204-2LPW/ZM	20	47		31	14	12.7	6.55	0.28	5000	
YARAG 204	20	47		31	14	12.7	6.55	0.28	1800	
YAR 204-2RFGR/HV	20	47		31	14	10.8	6.55	0.28	5000	
YAR 204-2RF/HV	20	47		31	14	10.8	6.55	0.28	5000	
YAR 204-2RF	20	47		31	14	12.7	6.55	0.28	5000	
YAR 204-2LPW/SS	20	47		31	14	10.8	6.55	0.28	5000	
YET 204/VL065	20	47	30.5	21	14	12.7	6.55	0.28	8500	
YAR 204-2F	20	47		31	14	12.7	6.55	0.28	8500	

YELAG 204	20	47	43.7	34.2	14	12.7	6.55	0.28	1800	
YAR 204-2RF/VE495	20	47		31	14	12.7	6.55	0.28	5000	
YET 205-014	22.225	52	31	21.5	15	14	7.8	0.335	7000	
YAR 205-014-2F	22.225	52		34.1	15	14	7.8	0.335	7000	
YEL 205-014-2F	22.225	52	44.4	34.9	15	14	7.8	0.335	7000	
YAT 205-014	22.225	52		27.2	15	14	7.8	0.335	7000	
YAR 205-015-2F	23.813	52		34.1	15	14	7.8	0.335	7000	
YEL 205-015-2F	23.813	52	44.4	34.9	15	14	7.8	0.335	7000	
YAR 205-015-2LPW/ZM	23.813	52		34.1	15	14	7.8	0.335	4300	
YET 205-015	23.813	52	31	21.5	15	14	7.8	0.335	7000	
YSA 206-2FK	23.813	62	38	28	18	19.5	11.2	0.475	6300	HA 2306
YAT 205-015	23.813	52		27.2	15	14	7.8	0.335	7000	
YSPAG 205	25	52	33.2		15	14	7.8	0.335	1500	
YSA 206-2FK	25	62	38	28	18	19.5	11.2	0.475	6300	H 2306
YAR 205-2LPW/ZM	25	52		34.1	15	14	7.8	0.335	4300	
YAR 205-2RFGR/HV	25	52		34.1	15	11.9	7.8	0.335	4300	
YEL 205-2F	25	52	44.4	34.9	15	14	7.8	0.335	7000	
YET 205	25	52	31	21.5	15	14	7.8	0.335	7000	
YAR 205-2RF/VE495	25	52		34.1	15	14	7.8	0.335	4300	
YET 205/VL065	25	52	31	21.5	15	14	7.8	0.335	7000	
YAT 205	25	52		27.2	15	14	7.8	0.335	7000	
1726305-2RS1	25	62		17		22.5	11.6	0.49	7500	
YAR 205-2RF/HV	25	52		34.1	15	11.9	7.8	0.335	4300	
1726205-2RS1	25	52		15		14	7.8	0.335	8500	
YAR 205-2RF	25	52		34.1	15	14	7.8	0.335	4300	
YSP 205 SB-2F	25	52	33.2		15	14	7.8	0.335	7000	
YAR 205-2F	25	52		34.1	15	14	7.8	0.335	7000	

YARAG 205	25	52		34.1	15	14	7.8	0.335	1500	
YAR 205-2LPW/SS	25	52		34.1	15	11.9	7.8	0.335	4300	
YELAG 205	25	52	44.4	34.9	15	14	7.8	0.335	1500	
YEL 205-2RF/VL065	25	52	44.4	34.9	15	14	7.8	0.335	4300	
YARAG 205-100	25.4	52		34.1	15	14	7.8	0.335	1500	
YET 205-100	25.4	52	31	21.5	15	14	7.8	0.335	7000	
YELAG 205-100	25.4	52	44.4	34.9	15	14	7.8	0.335	1500	
YAR 205-100-2F	25.4	52		34.1	15	14	7.8	0.335	7000	
YSP 205-100 SB-2F	25.4	52	33.2		15	14	7.8	0.335	7000	
YSA 206-2FK	25.4	62	38	28	18	19.5	11.2	0.475	6300	HE 2306
YSPAG 205-100	25.4	52	33.2		15	14	7.8	0.335	1500	
YAR 205-100-2LPW/ZM	25.4	52		34.1	15	14	7.8	0.335	4300	
YAR 205-100-2RF/HV	25.4	52		34.1	15	11.9	7.8	0.335	4300	
YAR 205-100-2LPW/SS	25.4	52		34.1	15	11.9	7.8	0.335	4300	
YAR 205-100-2RF/VE495	25.4	52		34.1	15	14	7.8	0.335	4300	
YAT 205-100	25.4	52		27.2	15	14	7.8	0.335	7000	
YAR 205-100-2RFGR/HV	25.4	52		34.1	15	11.9	7.8	0.335	4300	
YAR 205-100-2RF	25.4	52		34.1	15	14	7.8	0.335	4300	
YEL 205-100-2F	25.4	52	44.4	34.9	15	14	7.8	0.335	7000	
YET 206-101	26.988	62	35.7	23.8	18	19.5	11.2	0.475	6300	
YAR 206-101-2F	26.988	62		38.1	18	19.5	11.2	0.475	6300	
YEL 206-101-2F	26.988	62	48.4	36.5	18	19.5	11.2	0.475	6300	
YAT 206-102	28.575	62		30.2	18	19.5	11.2	0.475	6300	
YARAG 206-102	28.575	62		38.1	18	19.5	11.2	0.475	1200	
YET 206-102	28.575	62	35.7	23.8	18	19.5	11.2	0.475	6300	
YELAG 206-102	28.575	62	48.4	36.5	18	19.5	11.2	0.475	1200	
YEL 206-102-2F	28.575	62	48.4	36.5	18	19.5	11.2	0.475	6300	

YAR 206-102-2F	28.575	62		38.1	18	19.5	11.2	0.475	6300	
YAR 206-2RF/VE495	30	62		38.1	18	19.5	11.2	0.475	3800	
YAR 206-2LPW/SS	30	62		38.1	18	16.3	11.2	0.475	3800	
YSPAG 206	30	62	37.2		18	19.5	11.2	0.475	1200	
YEL 206-2RF/VL065	30	62	48.4	36.5	18	19.5	11.2	0.475	3800	
YET 206	30	62	35.7	23.8	18	19.5	11.2	0.475	6300	
YAT 206	30	62		30.2	18	19.5	11.2	0.475	6300	
YEL 206-2F	30	62	48.4	36.5	18	19.5	11.2	0.475	6300	
YAR 206-2RF	30	62		38.1	18	19.5	11.2	0.475	3800	
1726206-2RS1	30	62		16		19.5	11.2	0.475	7500	
YAR 206-2RF/HV	30	62		38.1	18	16.3	11.2	0.475	3800	
YSA 207-2FK	30	72	43	30.5	19	25.5	15.3	0.655	5300	H 2307
YAR 206-2F	30	62		38.1	18	19.5	11.2	0.475	6300	
YARAG 206	30	62		38.1	18	19.5	11.2	0.475	1200	
YAR 206-2RFGR/HV	30	62		38.1	18	16.3	11.2	0.475	3800	
YSP 206 SB-2F	30	62	37.2		18	19.5	11.2	0.475	6300	
YAR 206-2LPW/ZM	30	62		38.1	18	19.5	11.2	0.475	3800	
YELAG 206	30	62	48.4	36.5	18	19.5	11.2	0.475	1200	
YET 206/VL065	30	62	35.7	23.8	18	19.5	11.2	0.475	6300	
1726306-2RS1	30	72		19		28.1	16	0.67	6300	
YSPAG 206-103	30.163	62	37.2		18	19.5	11.2	0.475	1200	
YSA 207-2FK	30.163	72	43	30.5	19	25.5	15.3	0.655	5300	HA 2307
YAT 206-103	30.163	62		30.2	18	19.5	11.2	0.475	6300	
YAR 206-103-2F	30.163	62		38.1	18	19.5	11.2	0.475	6300	
YARAG 206-103	30.163	62		38.1	18	19.5	11.2	0.475	1200	
YET 206-103	30.163	62	35.7	23.8	18	19.5	11.2	0.475	6300	
YAR 206-103-2RF/HV	30.163	62		38.1	18	16.3	11.2	0.475	3800	

YELAG 206-103	30.163	62	48.4	36.5	18	19.5	11.2	0.475	1200	
YAR 206-103-2LPW/SS	30.163	62		38.1	18	16.3	11.2	0.475	3800	
YSP 206-103 SB-2F	30.163	62	37.2		18	19.5	11.2	0.475	6300	
YEL 206-103-2F	30.163	62	48.4	36.5	18	19.5	11.2	0.475	6300	
YAR 206-103-2RFGR/HV	30.163	62		38.1	18	16.3	11.2	0.475	3800	
YAR 206-103-2LPW/ZM	30.163	62		38.1	18	19.5	11.2	0.475	3800	
YAR 206-104-2F	31.75	62		38.1	18	19.5	11.2	0.475	6300	
YAT 206-104	31.75	62		30.2	18	19.5	11.2	0.475	6300	
YAR 207-104-2RF	31.75	72		42.9	19	25.5	15.3	0.655	3200	
YAR 207-104-2LPW/SS	31.75	72		42.9	19	21.6	15.3	0.655	3200	
YAR 206-104-2LPW/SS	31.75	62		38.1	18	16.3	11.2	0.475	3800	
YEL 206-104-2F	31.75	62	48.4	36.5	18	19.5	11.2	0.475	6300	
YAR 206-104-2RFGR/HV	31.75	62		38.1	18	16.3	11.2	0.475	3800	
YSP 207-104 SB-2F	31.75	72	39.7		19	25.5	15.3	0.655	5300	
YAR 206-104-2LPW/ZM	31.75	62		38.1	18	19.5	11.2	0.475	3800	
YARAG 206-104	31.75	62		38.1	18	19.5	11.2	0.475	1200	
YELAG 207-104	31.75	72	51.1	37.6	19	25.5	15.3	0.655	1100	
YAT 207-104	31.75	72		33	19	25.5	15.3	0.655	5300	
YAR 207-104-2RFGR/HV	31.75	72		42.9	19	21.6	15.3	0.655	3200	
YET 206-104	31.75	62	35.7	23.8	18	19.5	11.2	0.475	6300	
YAR 206-104-2RF/HV	31.75	62		38.1	18	16.3	11.2	0.475	3800	
YARAG 207-104	31.75	72		42.9	19	25.5	15.3	0.655	1100	
YEL 207-104-2F	31.75	72	51.1	37.6	19	25.5	15.3	0.655	5300	
YAR 207-104-2F	31.75	72		42.9	19	25.5	15.3	0.655	5300	
YET 207-104	31.75	72	38.9	25.4	19	25.5	15.3	0.655	5300	
YSA 208-2FK	31.75	80	46	33.9	21	30.7	19	0.8	4800	HE 2308
YAR 207-104-2RF/HV	31.75	72		42.9	19	21.6	15.3	0.655	3200	

YAR 207-104-2LPW/ZM	31.75	72		42.9	19	25.5	15.3	0.655	3200	
YSPAG 207-104	31.75	72	39.7		19	25.5	15.3	0.655	1100	
YEL 207-105-2F	33.337	72	51.1	37.6	19	25.5	15.3	0.655	5300	
YET 207-105	33.337	72	38.9	25.4	19	25.5	15.3	0.655	5300	
YAR 207-105-2F	33.337	72		42.9	19	25.5	15.3	0.655	5300	
YSP 207-106 SB-2F	34.925	72	39.7		19	25.5	15.3	0.655	5300	
YAR 207-106-2F	34.925	72		42.9	19	25.5	15.3	0.655	5300	
YAT 207-106	34.925	72		33	19	25.5	15.3	0.655	5300	
YELAG 207-106	34.925	72	51.1	37.6	19	25.5	15.3	0.655	1100	
YAR 207-106-2LPW/ZM	34.925	72		42.9	19	25.5	15.3	0.655	3200	
YAR 207-106-2LPW/SS	34.925	72		42.9	19	21.6	15.3	0.655	3200	
YARAG 207-106	34.925	72		42.9	19	25.5	15.3	0.655	1100	
YAR 207-106-2RFGR/HV	34.925	72		42.9	19	21.6	15.3	0.655	3200	
YET 207-106	34.925	72	38.9	25.4	19	25.5	15.3	0.655	5300	
YAR 207-106-2RF/HV	34.925	72		42.9	19	21.6	15.3	0.655	3200	
YSPAG 207-106	34.925	72	39.7		19	25.5	15.3	0.655	1100	
YEL 207-106-2F	34.925	72	51.1	37.6	19	25.5	15.3	0.655	5300	
YSPAG 207	35	72	39.7		19	25.5	15.3	0.655	1100	
YET 207	35	72	38.9	25.4	19	25.5	15.3	0.655	5300	
YEL 207-2RF/VL065	35	72	51.1	37.6	19	25.5	15.3	0.655	3200	
YAT 207	35	72		33	19	25.5	15.3	0.655	5300	
YAR 207-2RFGR/HV	35	72		42.9	19	21.6	15.3	0.655	3200	
YAR 207-2LPW/ZM	35	72		42.9	19	25.5	15.3	0.655	3200	
YAR 207-2F	35	72		42.9	19	25.5	15.3	0.655	5300	
YAR 207-2RF/VE495	35	72		42.9	19	25.5	15.3	0.655	3200	
YSA 208-2FK	35	80	46	33.9	21	30.7	19	0.8	4800	H 2308
YARAG 207	35	72		42.9	19	25.5	15.3	0.655	1100	

1726207-2RS1	35	72		17		25.5	15.3	0.655	6300	
YSP 207 SB-2F	35	72	39.7		19	25.5	15.3	0.655	5300	
YET 207/VL065	35	72	38.9	25.4	19	25.5	15.3	0.655	5300	
1726307-2RS1	35	80		21		33.2	19	0.815	6000	
YELAG 207	35	72	51.1	37.6	19	25.5	15.3	0.655	1100	
YAR 207-2RF	35	72		42.9	19	25.5	15.3	0.655	3200	
YAR 207-2LPW/SS	35	72		42.9	19	21.6	15.3	0.655	3200	
YAR 207-2RF/HV	35	72		42.9	19	21.6	15.3	0.655	3200	
YEL 207-2F	35	72	51.1	37.6	19	25.5	15.3	0.655	5300	
YEL 207-107-2F	36.513	72	51.1	37.6	19	25.5	15.3	0.655	5300	
YAR 207-107-2LPW/SS	36.513	72		42.9	19	21.6	15.3	0.655	3200	
YAR 207-107-2F	36.513	72		42.9	19	25.5	15.3	0.655	5300	
YAT 207-107	36.513	72		33	19	25.5	15.3	0.655	5300	
YELAG 207-107	36.513	72	51.1	37.6	19	25.5	15.3	0.655	1100	
YAR 207-107-2RFGR/HV	36.513	72		42.9	19	21.6	15.3	0.655	3200	
YARAG 207-107	36.513	72		42.9	19	25.5	15.3	0.655	1100	
YAR 208-107-2F	36.513	80		49.2	21	30.7	19	0.8	4800	
YET 207-107	36.513	72	38.9	25.4	19	25.5	15.3	0.655	5300	
YSPAG 207-107	36.513	72	39.7		19	25.5	15.3	0.655	1100	
YAR 207-107-2RF/HV	36.513	72		42.9	19	21.6	15.3	0.655	3200	
YSP 207-107 SB-2F	36.513	72	39.7		19	25.5	15.3	0.655	5300	
YSA 209-2FK	36.513	85	50	35	22	33.2	21.6	0.915	4300	HA 2309
YAR 207-107-2LPW/ZM	36.513	72		42.9	19	25.5	15.3	0.655	3200	
YELAG 208-108	38.1	80	56.3	42.8	21	30.7	19	0.8	950	
YSA 209-2FK	38.1	85	50	35	22	33.2	21.6	0.915	4300	HE 2309
YAR 209-108-2F	38.1	85		49.2	22	33.2	21.6	0.915	4300	
YSPAG 208-108	38.1	80	43.1		21	30.7	19	0.8	950	



YAR 208-108-2RF/HV	38.1	80		49.2	21	24.7	19	0.8	2800	
YSP 208-108 SB-2F	38.1	80	43.1		21	30.7	19	0.8	4800	
YAT 208-108	38.1	80		36	21	30.7	19	0.8	4800	
YAR 208-108-2LPW/ZM	38.1	80		49.2	21	30.7	19	0.8	2800	
YEL 208-108-2F	38.1	80	56.3	42.8	21	30.7	19	0.8	4800	
YARAG 208-108	38.1	80		49.2	21	30.7	19	0.8	950	
YAR 208-108-2F	38.1	80		49.2	21	30.7	19	0.8	4800	
YAR 208-108-2LPW/SS	38.1	80		49.2	21	24.7	19	0.8	2800	
YAR 208-108-2RF	38.1	80		49.2	21	30.7	19	0.8	2800	
YAR 208-108-2RFGR/HV	38.1	80		49.2	21	24.7	19	0.8	2800	
YET 208-108	38.1	80	43.2	29.7	21	30.7	19	0.8	4800	
YAR 208-109-2F	39.688	80		49.2	21	30.7	19	0.8	4800	
YSPAG 208	40	80	43.1		21	30.7	19	0.8	950	
YET 208	40	80	43.2	29.7	21	30.7	19	0.8	4800	
YSA 209-2FK	40	85	50	35	22	33.2	21.6	0.915	4300	H 2309
YAR 208-2F	40	80		49.2	21	30.7	19	0.8	4800	
YAT 208	40	80		36	21	30.7	19	0.8	4800	
YAR 208-2RF/VE495	40	80		49.2	21	30.7	19	0.8	2800	
1726308-2RS1	40	90		23		41	24	1	5000	
YAR 208-2LPW/SS	40	80		49.2	21	24.7	19	0.8	2800	
YEL 208-2RF/VL065	40	80	56.3	42.8	21	30.7	19	0.8	2800	
YEL 208-2F	40	80	56.3	42.8	21	30.7	19	0.8	4800	
YARAG 208	40	80		49.2	21	30.7	19	0.8	950	
YET 208/VL065	40	80	43.2	29.7	21	30.7	19	0.8	4800	
YELAG 208	40	80	56.3	42.8	21	30.7	19	0.8	950	
YAR 208-2RF	40	80		49.2	21	30.7	19	0.8	2800	
YAR 208-2RF/HV	40	80		49.2	21	24.7	19	0.8	2800	

YSP 208 SB-2F	40	80	43.1		21	30.7	19	0.8	4800	
1726208-2RS1	40	80		18		30.7	19	0.8	5600	
YAR 208-2LPW/ZM	40	80		49.2	21	30.7	19	0.8	2800	
YAR 208-2RFGR/HV	40	80		49.2	21	24.7	19	0.8	2800	
YARAG 209-110	41.275	85		49.2	22	33.2	21.6	0.915	850	
YEL 209-110-2F	41.275	85	56.3	42.8	22	33.2	21.6	0.915	4300	
YAR 209-110-2F	41.275	85		49.2	22	33.2	21.6	0.915	4300	
YET 209-110	41.275	85	43.7	30.2	22	33.2	21.6	0.915	4300	
YARAG 209-111	42.862	85		49.2	22	33.2	21.6	0.915	850	
YSPAG 209-111	42.862	85	44.2		22	33.2	21.6	0.915	850	
YEL 209-111-2F	42.862	85	56.3	42.8	22	33.2	21.6	0.915	4300	
YSP 209-111 SB-2F	42.862	85	44.2		22	33.2	21.6	0.915	4300	
YAR 209-111-2F	42.862	85		49.2	22	33.2	21.6	0.915	4300	
YET 209-111	42.862	85	43.7	30.2	22	33.2	21.6	0.915	4300	
YSA 210-2FK	42.862	90	55	37	22	35.1	23.2	0.98	4000	HA 2310
YAR 210-111-2F	42.862	90		51.6	22	35.1	23.2	0.98	4000	
YAT 209-111	42.862	85		37	22	33.2	21.6	0.915	4300	
YELAG 209-111	42.862	85	56.3	42.8	22	33.2	21.6	0.915	850	
YEL 209-112-2F	44.45	85	56.3	42.8	22	33.2	21.6	0.915	4300	
YAR 210-112-2F	44.45	90		51.6	22	35.1	23.2	0.98	4000	
YSA 210-2FK	44.45	90	55	37	22	35.1	23.2	0.98	4000	HE 2310
YAR 209-112-2RF	44.45	85		49.2	22	33.2	21.6	0.915	2400	
YET 209-112	44.45	85	43.7	30.2	22	33.2	21.6	0.915	4300	
YAR 209-112-2F	44.45	85		49.2	22	33.2	21.6	0.915	4300	
YELAG 209-112	44.45	85	56.3	42.8	22	33.2	21.6	0.915	850	
YAT 209-112	44.45	85		37	22	33.2	21.6	0.915	4300	
YSPAG 209	45	85	44.2		22	33.2	21.6	0.915	850	

YET 209	45	85	43.7	30.2	22	33.2	21.6	0.915	4300	
YSP 209 SB-2F	45	85	44.2		22	33.2	21.6	0.915	4300	
YAT 209	45	85		37	22	33.2	21.6	0.915	4300	
YEL 209-2F	45	85	56.3	42.8	22	33.2	21.6	0.915	4300	
YAR 209-2RF	45	85		49.2	22	33.2	21.6	0.915	2400	
1726309-2RS1	45	100		25		52.7	31.5	1.34	4500	
YARAG 209	45	85		49.2	22	33.2	21.6	0.915	850	
1726309 B-2RS1/VP274	45	100		25		52.7	31.5	1.34	4500	
YELAG 209	45	85	56.3	42.8	22	33.2	21.6	0.915	850	
1726209-2RS1	45	85		19		33.2	21.6	0.915	5000	
1726209 B-2RS1/VP274	45	85		19		33.2	21.6	0.915	4300	
YSA 210-2FK	45	90	55	37	22	35.1	23.2	0.98	4000	H 2310
YAR 209-2F	45	85		49.2	22	33.2	21.6	0.915	4300	
YAR 210-115-2RFGR/HV	49.212	90		51.6	22	29.6	23.2	0.98	2200	
YARAG 210-115	49.212	90		51.6	22	35.1	23.2	0.98	800	
YAR 210-115-2LPW/ZM	49.212	90		51.6	22	35.1	23.2	0.98	2200	
YAT 210-115	49.212	90		38.8	22	35.1	23.2	0.98	4000	
YEL 210-115-2F	49.212	90	62.7	49.2	22	35.1	23.2	0.98	4000	
YAR 210-115-2RF	49.212	90		51.6	22	35.1	23.2	0.98	2200	
YAR 210-115-2LPW/SS	49.212	90		51.6	22	29.6	23.2	0.98	2200	
YSA 211-2FK	49.212	100	59	40	25	43.6	29	1.25	3600	HA 2311
YAR 210-115-2F	49.212	90		51.6	22	35.1	23.2	0.98	4000	
YSP 210-115 SB-2F	49.212	90	46.2		22	35.1	23.2	0.98	4000	
YSPAG 210-115	49.212	90	46.2		22	35.1	23.2	0.98	800	
YAR 211-115-2F	49.212	100		55.6	25	43.6	29	1.25	3600	
YELAG 210-115	49.212	90	62.7	49.2	22	35.1	23.2	0.98	800	
YAR 210-115-2RF/HV	49.212	90		51.6	22	29.6	23.2	0.98	2200	

YET 210-115	49.212	90	43.7	30.2	22	35.1	23.2	0.98	4000	
YET 210	50	90	43.7	30.2	22	35.1	23.2	0.98	4000	
YAR 210-2RF/HV	50	90		51.6	22	29.6	23.2	0.98	2200	
YAR 210-2RFGR/HV	50	90		51.6	22	29.6	23.2	0.98	2200	
YAT 210	50	90		38.8	22	35.1	23.2	0.98	4000	
1726310 B-2RS1/VP274	50	110		27		61.8	38	1.6	4300	
YAR 210-2LPW/SS	50	90		51.6	22	29.6	23.2	0.98	2200	
YSPAG 210	50	90	46.2		22	35.1	23.2	0.98	800	
YEL 210-2F	50	90	62.7	49.2	22	35.1	23.2	0.98	4000	
YSP 210 SB-2F	50	90	46.2		22	35.1	23.2	0.98	4000	
YELAG 210	50	90	62.7	49.2	22	35.1	23.2	0.98	800	
YARAG 210	50	90		51.6	22	35.1	23.2	0.98	800	
YAR 210-2LPW/ZM	50	90		51.6	22	35.1	23.2	0.98	2200	
1726210-2RS1	50	90		20		35.1	23.2	0.98	4800	
YAR 210-2RF/VE495	50	90		51.6	22	35.1	23.2	0.98	2200	
YAR 210-2F	50	90		51.6	22	35.1	23.2	0.98	4000	
YAR 210-2RF	50	90		51.6	22	35.1	23.2	0.98	2200	
1726310-2RS1	50	110		27		61.8	38	1.6	4300	
YSA 211-2FK	50	100	59	40	25	43.6	29	1.25	3600	H 2311
YET 211-200	50.8	100	48.4	32.6	25	43.6	29	1.25	3600	
YAR 211-200-2F	50.8	100		55.6	25	43.6	29	1.25	3600	
YEL 211-200-2F	50.8	100	71.4	55.6	25	43.6	29	1.25	3600	
YSP 211-200 SB-2F	50.8	100	49.2		25	43.6	29	1.25	3600	
YSA 211-2FK	50.8	100	59	40	25	43.6	29	1.25	3600	HE 2311 B
YAT 211-200	50.8	100		45	25	43.6	29	1.25	3600	
YAR 211-200-2RF	50.8	100		55.6	25	43.6	29	1.25	1900	
YAR 211-2RF	55	100		55.6	25	43.6	29	1.25	1900	

YET 211	55	100	48.4	32.6	25	43.6	29	1.25	3600	
YSP 211 SB-2F	55	100	49.2		25	43.6	29	1.25	3600	
YEL 211-2F	55	100	71.4	55.6	25	43.6	29	1.25	3600	
YAR 211-2F	55	100		55.6	25	43.6	29	1.25	3600	
1726211-2RS1	55	100		21		43.6	29	1.25	4300	
YSA 212-2FK	55	110	62	42.5	26	52.7	36	1.53	3400	H 2312
YET 211-203	55.563	100	48.4	32.6	25	43.6	29	1.25	3600	
YAR 212-203-2F	55.563	110		65.1	26	52.7	36	1.53	3400	
YAT 211-203	55.563	100		45	25	43.6	29	1.25	3600	
YSP 211-203 SB-2F	55.563	100	49.2		25	43.6	29	1.25	3600	
YAR 211-203-2F	55.563	100		55.6	25	43.6	29	1.25	3600	
YSA 213-2FK	55.563	120	65	43.5	27	57.2	40	1.7	3000	HA 2313
YEL 211-203-2F	55.563	100	71.4	55.6	25	43.6	29	1.25	3600	
YSA 213-2FK	57.15	120	65	43.5	27	57.2	40	1.7	3000	HE 2313
YAR 212-204-2F	57.15	110		65.1	26	52.7	36	1.53	3400	
YAT 212-204	57.15	110		48.5	26	52.7	36	1.53	3400	
YSP 212-204 SB-2F	57.15	110	51.7		26	52.7	36	1.53	3400	
YET 212	60	110	52.6	36.7	26	52.7	36	1.53	3400	
YSA 213-2FK	60	120	65	43.5	27	57.2	40	1.7	3000	H 2313
YEL 212-2F	60	110	77.8	61.9	26	52.7	36	1.53	3400	
YSP 212 SB-2F	60	110	51.7		26	52.7	36	1.53	3400	
YAR 212-2RF	60	110		65.1	26	52.7	36	1.53	1800	
YAR 212-2F	60	110		65.1	26	52.7	36	1.53	3400	
1726212-2RS1	60	110		22		52.7	36	1.53	4000	
YET 212-207	61.913	110	52.6	36.7	26	52.7	36	1.53	3400	
YAT 212-207	61.913	110		48.5	26	52.7	36	1.53	3400	
YEL 212-207-2F	61.913	110	77.8	61.9	26	52.7	36	1.53	3400	

YAR 212-207-2F	61.913	110		65.1	26	52.7	36	1.53	3400	
YSP 212-207 SB-2F	61.913	110	51.7		26	52.7	36	1.53	3400	
YAR 214-207-2F	61.913	125		69.9	28	62.4	45	1.86	2800	
YAR 213-208-2RF	63.5	120		68.3	27	57.2	40	1.7	1600	
YAR 213-208-2F	63.5	120		68.3	27	57.2	40	1.7	3000	
YAR 214-208-2F	63.5	125		69.9	28	62.4	45	1.86	2800	
YAR 213-2F	65	120		68.3	27	57.2	40	1.7	3000	
YAR 213-2RF	65	120		68.3	27	57.2	40	1.7	1600	
YSP 213-211 SB-2F	68.263	120	52.7		27	57.2	40	1.7	3000	
YAR 213-211-2F	68.263	120		68.3	27	57.2	40	1.7	3000	
YAR 215-212-2F	69.85	130		73.3	29	66.3	49	2.04	2600	
YAR 214-2F	70	125		69.9	28	62.4	45	1.86	2800	
YEL 215-215-2F	74.612	130	92.1	74.6	29	66.3	49	2.04	2600	
YAR 216-215-2F	74.612	140		77.8	30	72.8	53	2.16	2400	
YAR 215-215-2F	74.612	130		73.3	29	66.3	49	2.04	2600	
YAT 215-215	74.612	130		53.5	29	66.3	49	2.04	2600	
YAR 215-2F	75	130		73.3	29	66.3	49	2.04	2600	
YAT 216-300	76.2	140		55.5	30	72.8	53	2.16	2400	
YAR 216-300-2F	76.2	140		77.8	30	72.8	53	2.16	2400	
YAR 216-2F	80	140		77.8	30	72.8	53	2.16	2400	
YAR 218-2F	90	160		89	36	95.6	72	2.7	2000	
YAR 220-2F	100	180		98.4	40	124	93	3.35	1900	